


Schematic Diagram for TR_w-625



R ₁	Carbon Resistor 100kΩ ½ 25%	R ₁₅	Carbon Resistor 1.5kΩ -	C ₁₀	Ceramic Capacitor 0.01 MF
R ₂	100kΩ -	R ₁₆	220Ω -	C ₁₁	0.01 MF
R ₃	15kΩ -	R ₁₇	6.8kΩ -	C ₁₂	0.01 MF
R ₄	* 150kΩ -	R ₁₈	10Ω -	C ₁₃	"
R ₅	5.6kΩ -	C ₁₄	0.02 MF	C ₁₄	Styrol
R ₆	470Ω -	C ₁₅	PVC Tuning Capacitor 100 PF	C ₁₅	Ceramic 0.04 MF
R ₇	Carbon Resistor 10kΩ ½ 25%	C ₁₆	Built in IFT 150 PF	C ₁₆	Electrolytic 10 PF 2V
R ₈	39kΩ -	C ₁₇	"	C ₁₇	"
R ₉	2.3kΩ -	C ₁₈	"	C ₁₈	"
R ₁₀	470Ω -	C ₁₉	"	C ₁₉	30 PF 2V
R ₁₁	"	C ₂₀	Ceramic Capacitor 0.005 MF	C ₂₀	30 MF 10V
R ₁₂	Volume Control 5kΩ	C ₂₁	"	C ₂₁	Ceramic 2 PF
R ₁₃	Carbon Resistor 27kΩ ½ 25%	C ₂₂	"		
R ₁₄	10kΩ -	C ₂₃	* 1 PF		
		C ₂₄	"		
		C ₂₅	0.02 MF		

* To be adjusted